


IN-WALL

BASIC TANK COMPACT with AG valve (80mm cistern) concealed cistern for back-to-wall WCs

TECHNICAL DRAWINGS



FEATURES

Dynamic pressure range: 0,1 - 10 Bar

Flushing type preset: Dual flush 3/6 litres

Minimum fixation depth (mm): 80

Operating panel position: Frontal

Recommended for public spaces

Space-saving

Suitable for: Floor-standing toilet

Sustainable product

Tank depth (mm): 80

Water inlet position: Top



Flushing type

Flushing type: Dual flush 4.5/3 litres



Flushing type

Flushing type: Dual flush 4/2 litres



Flushing type

Flushing type: Dual flush 6/3 litres

COMPATIBLE WITH



EP2 (compact version) -
Electronic glass finished
operating plate for
concealed cistern with
automatic or touchless dual
flush and adjustable light in
multiple colour choice

890103009



EP1 (compact version) -
Electronic glass finished
operating plate for
concealed cistern with
automatic or touchless dual
flush and adjustable light in
multiple colour choice

890103008



**PL5 DUAL - Dual flush
operating plate for
concealed cistern**

89009900.



**PL4 DUAL - Dual flush
operating plate for
concealed cistern**

89009800.



**PL3 PRO DUAL - Vandal-
proof stainless steel dual
flush operating plate for
concealed cistern**

890097004



**PL2 DUAL - Dual flush
operating plate for
concealed cistern**

89009600.



**PL1 DUAL - Dual flush
operating plate for
concealed cistern**

89009500.



**PL10 DUAL - Dual flush
operating plate for
concealed cistern with matt
finishes**

89008920.



**PL10 DUAL - Dual flush
operating plate for
concealed cistern**

89008900.



**PL7 DUAL - Dual flush
operating plate for
concealed cistern**

89008830.



**PL7 DUAL - Dual flush
operating plate for
concealed cistern**

89008820.

In-Wall

Systems that combine efficiency and technology, turning them into solutions that look after the design and adapt perfectly to the space concerned. Innovation and the avant-garde join forces to guarantee the best features, where convenience, saving and style are to be found in every detail.



INSTALLATION AND USER MANUALS



[Installation manual](#)